

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A process for the preparation of semi-conducting polymer film containing beta crystalline phase of polyvinylidene fluoride, the process comprising forming a solution by dissolving polyvinylidene fluoride in a solvent, dispersing conducting particles therein, casting the dispersed solution on a substrate, evaporating the solvent, drying the film, holding the film between two metal plates and applying an electric potential thereto, removing the film to obtain a polymer film containing high beta crystalline phase of polyvinylidene fluoride.
2. (Original) A process as claimed in claim 1 wherein the polyvinylidene fluoride used has an ethylene content of less than 2%.
3. (Original) A process as claimed in claim 1 wherein the solvent used for dissolving and casting the film has an amide substituted group and has dielectric constant between 20 to 45.
4. (Original) A process as claimed in claim 1 wherein the conducting particles added to the solution have a particle size in the range of 0.1 to 20 micrometers and concentration in the range of 2 to 50% by weight of the polymer.
- ~~2.5.~~ (Currently Amended) A process as claimed in claim 4, wherein the concentration of the conducting particles ranges from 3% to 30%.
- ~~3.6.~~ (Currently Amended) A process as claimed in claim 4, wherein the concentration of the conducting particles is 20% by weight of the polymer.

~~5.7.~~ (Currently Amended) A process as claimed in claim 1 wherein the conducting particles have a conductivity in the range of 10^{-3} to 10^4 S/cm.

~~6.8.~~ (Currently Amended) A process as claimed in claim 1 wherein the polymer film is cast in stainless steel dish at a temperature in the range of 45° to 90°C.

~~7.9.~~ (Currently Amended) A process as claimed in claim 1 wherein the electric potential used for treatment is in the range of 10 V to 100 V.

~~8.10.~~ (Currently Amended) A process as claimed in claim 1 wherein the electric potential is applied by holding the film between two metal plates and for a duration of 10 to 300 min.

~~9.11.~~ (Currently Amended) A process as claimed in claim 1 wherein the duration of application is 60 minutes.

~~10.12.~~ (Currently Amended) A process as claimed in claim 1 wherein the temperature used for conditioning is in the range of 40°C to 100°C.

~~11.13.~~ (Currently Amended) A process as claimed in claim 1 wherein the temperature used for conditioning is 80°C.


~~12.14.~~ (Currently Amended) A process as claimed in claim 1 wherein the film is cast by spin coating on smooth substrates and metal electrodes are deposited on both sides of the film to form a device directly containing the beta crystalline phase of polyvinylidene fluoride.

Subramaniam
Appl. No. 10/731,441
October 12, 2004

Respectfully submitted,

NIXON & VANDERHYE P.C.

By:

A handwritten signature in cursive script, appearing to read "Larry S. Nixon", written over a horizontal line.

Larry S. Nixon
Reg. No. 25,640

LSN:vc
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100